

# INDIAN INSTITUTE OF MANAGEMENT NAGPUR



Tender no:IIMN/132/2017-18/012 dated 12.01.2018

**Name of Work: Supply of Gym and allied Sports Equipment at IIM Nagpur**

**Notes:**

- 1. Acceptable Brands of Gym and allied Sports equipment - Bodyline, X- degree, Cosco, Caxton, Fitness World, Precor, Paramount**

**Price Bid(Part-II)**

Sr.no	Description of Items	Qty	Unit	Rate	Amount
1	<b>Smith Machine:</b> 3" x 3" 11 Gauge Steel Mainframe,1" hole spacing for safety spotter bars, Includes Expansion for spotter access and six olympic weight horns, Optional Monkey bar expansion bolts 2 racks together ,Includes two J-Cup Liftoffs (SPRLC)and Premium Safety Spotter Bars (SPRSF),Integrated Chinning Bar Weight Capacity: 1000 lbs. Dimensions: 90"H x 81"W x 92 (Brand & Model – Body Solid SPR1000 BACK or equivalent)	1	No		
2	<b>Commercial Tread Mill :</b> Driver Motor: 10 HP AC Server Motor[Industrial Grade]; Speed Range: 1.5-25.0 Kmph; Effective Running Surface: 23.5" x 64"; Cushion System: 6 - Point; Elevation: 0-20%; Decline: -3 levels; Floor Space(W x L): 83" x 36.5"; User Weight Capacity: 150 kgs; Display type: LED; Display Feedback: Speed, Time, Distance, Pulse, Calories & Incline, Decline, cool down; Frame: Heavy Gauge High-Strength Steel; Durable Powder-Coat Paint( Brand & Model - Fitness World Model: LUCCA (or) any of its equivalent products from Precor or Lifefitness Companies)	1	No		

Sr.no	Description of Items	Qty	Unit	Rate	Amount
3	<b>Commercial Cross Trainer:</b> Drive System: 2 Stage Drive with Poly V-Belt, Rare Wheel Drive, Stride Length: 25", Power Type: Self Power Generator (Dynamo), Resistance Level: 16 Levels, Resistance Control: Electromagnetic Display: Includes Level Control, Watt Control, Time, Distance, RPM, Speed, Levels, Calories, Pulse, Floor Space: 230 x 68 x 160 cm( Brand & Model - Fitness World Model – 6e ELLIPTICAL (or) any of its equivalent products from Precor or Lifefitness Companies)	2	No		
4	<b>Foosball Table Table Size:</b> 55" L x 30" W x 30" H , Balls: 2 pcs (32 mm) , Balls: 2 pcs (32 mm) Ball Return: 2 Ball Returns on Sides Playing Rods: Hollow Telescopic Rods, chrome finished (Doesn't come out from other side, for comfortable play) Brand Caxton	1	No		
5	<b>Standard bar</b> OB86B (7ft Olympic bar Black)Brand & Model : <b>Body Solid</b> Model – OB86B	1	No		
6	<b>Coloured Weights:</b> 20KG X 2NO, 15KG X 2NO, 10KG X 2NO, 5KG X 2, Bodysolid: Model: ORTC, total- 100kg	8	No		
7	<b>Olympic bar Collar:</b> Body Solid Model BSTROC – RED	1	No		
8	<b>Commercial Flat Bench</b> : Commercial 2"x 3" heavy gauge steel mainframe Wide base eliminates rocking. All-4-side welded construction. 20"H x 46"L x 23"W Height to pad - flat position 19" Back pad 9.5"wide Material –Type should be Heavy steel	1	No		
9	<b>Commercial Flat Bench 2:</b> Independent back pad and seat pad adjustments,1000 pound capacity tested,Back pad adjusts flat, incline (15, 30, 45, 60 and 80 degrees) and decline (-18 degrees) Seat pad adjusts flat, 10, and 18 degrees ,Assembled Dimensions: 57.5" L x 25.5" W x 18" H	1	No		

Sr.no	Description of Items	Qty	Unit	Rate	Amount
10	<b>Rubber Mats</b> : Colour should be Black, Lightweight puzzle pieces connect quickly and easily, and can be disassembled just as simply for quick storage, It should be water resistant and noise-reducing design and easy to clean. Each tile measures 24" x 24" x ½"- thick from the highest point of the texture, The tile should be made up of High-density EVA(Ethylene Vinyl Acetate) foam provides excellent support and cushion, and it shouldn't toxic phthalates 2' x 2' x ½"	9	No		
11	<b>Dumbbells:</b> Hexagonal Rubber Dumbbells: 2.5, 5, 7.5, 10, 12.5 and 15kg, 1 pair each,Total – 105 kgs,Rubber coated ends for durability and protection,Ergonomically contoured chromed and knurled dumbbell grip,Hexagonal design prevents dumbbell from rolling	6	No		
12	<b>Dumbbell Rack:</b> Capacity: 10 Pair Dumbbell Rack with 2-tier capacity,Dimensions: 98 L x 25 W x 31 H inches or any equivalent,1. The 2 tier dumbbell and each rack should hold 10 pairs of rubber coated Hex dumbBells.2. Durable plastic saddles(must) help protect dumbbells and reduce noise.3. Frame should be of steel tubing, Tough and Powder Coated Paint	1	No		
13	<b>Parallel Bar:</b> Heavy Duty Powder coated metal tubes,2m pole height, 8 cm dia vertical bars,3.5m length, 5cm dia parallel bar,5cm diameter steel tube,Gouted in the ground Gouted in the ground with necessary excavation and concreting	1	No		
14	<b>Pull Up Bar:</b> Powder coated metal tubes,2.2m height from the ground, 8cm diameter vertical tube,1.5m pull-up bar, 5cm diameter steel tube, welded at both the ends,Gouted in the ground with necessary excavation and concreting	1	No		
<b>Total Amount</b>					

All rates are to be quoted excluding the GST applicable. The GST will be paid in addition to the total amount payable.