

भारतीय प्रबंधन संस्थान नागपुर

INDIAN INSTITUTE OF MANAGEMENT NAGPUR

Tender No : IIMN/CAO/12/2018-19 dated 30-08-2018



Name of Work :Provision of toilet, extension of washing shade and Stainless steel railing at IIM Nagpur.

Price bid part-II

Notes:

1	Rate shall be inclusive of all wastages of materials and fixing to the best workmanship manner.
2	The rates shall be for all heights & levels and be inclusive of necessary consumables like joint filler, adhesive , etc. complete. The rate shall include necessary scaffolding required for this work.
3	Actual size installed at site to be measured and paid. (No Extra Payment to be made for wastage of material, lead & lift of material to any floor, and working in odd hours.)
4	Rates to be inclusive of moving existing furniture where required, placing it again, removing of debris and cleaning all finished surfaces of unwanted paint/polish smudges,adhering foreign material, sharp edges etc.

**Name of Bidder:** \_\_\_\_\_

Sr.no	Description	Qty	Unit	Rate	Amount
1	Providing and fixing on walls/ ceiling/floors,medium grade CPVC pipe having embossed ISI Mark on it, of required diameter with screwed sockets, joints, necessary galvanised iron fittings such as sockets,back nuts,elbows, bends, tees,reducers, enlargers, plugs, clamps etc.including necessary drilling holes in walls, slabs etc. and remaking good the demolished portion to restore the same in original condition neatly and providing and applying anticorrosive primer and two coats of oil painting, testing, etc.complete.(a)15 mm dia	10	Rmt		

Sr.no	Description	Qty	Unit	Rate	Amount
2	Providing and fixing European type earthenware W.C.PAN of required colour with UPVC seat and lid with chromium plated brass hinges and rubber buffers including UPVC and vent pipe upto the outside face of wall, pipe and stop tap brackets for fixing cistern 32 mm dia. UPVC flush pipe with fittings and clamps, 20 mm dia. UPVC overflow pipe, cutting and making good to the walls and floors, testing etc. complete.A) White glazed i) With 10 litre enamelled low level flushing cistern with water jet and fittings	1	No		
3	Providing and fixing earthenware Wash Hand Basin of size 55 cm x 30 cm of required colour,brackets, stop tap, pvc bottle trap and necessary pipe connection including UPVC waste pipe and trap up to the out side face of the wall, making good the damaged surface, testing etc.complete. A ) white glazed With cold water piller tap	1	No		
4	Providing and fixing Rigid PVC. Nahani Trap of required size including P.V.C. grating, bend, connecting piece of UPVC pipe up to the outside face of the wall, making good the damaged surface, testing etc. complete. 10 cm dia	1	No		
5	Providing and fixing UPVC SOIL / VENT / WASTE SWR pipe of required diameter conforming to I.S.- 13592, and I.S.-4985 to withstand continous internal hydroulic pressure of 4 kg/cm2 including necessary fixtures and fittings, such as bends, tees, single junctions, double junctions and joining with rubber rings and lubricants, on wall by means of clips or in ground including necessary excavation, laying refilling, trench testing etc. complete.				

Sr.no	Description	Qty	Unit	Rate	Amount
	75 mm dia	10	Rmt		
	110 mm dia	2	Rmt		
6	Providing and fixing C.P Brass two way bib cock with wall flange and health focuet with 1 meter long pvc tube and wall hook of approved quality of jaquar make or equivalent.	1	No		
7	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931. design and of approved make conforming to IS:8931. 15 mm nominal bore	2	No		
8	Providing and fixing of C.P brass toilet paper holder	1	No		
9	Providing and fixing chromium plated towel rod 16 mm dia. And 75cm. in length including all accessories complete.	1	No		
10	Providing and fixing Glass Shelf 125 mm. Wide and 600 mm. long with necessary chromium plated brackets, providing T.W. gutties etc. complete.	1	No		

Sr.no	Description	Qty	Unit	Rate	Amount
11	Providing and fixing mirror of superior glass 5mm thick (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing	1	Sq.m		
12	Providing and fixing white vitreous china flat back half stall urinal of size 580x380x350 mm with flush cock with fittings, standard size C.P. brass flush pipe, spreaders with unions and clamps (all in C.P. brass) with waste fitting as per IS : 2556, C.I. trap with outlet grating and other couplings in C.P. brass, including painting of fittings and cutting and making good the walls and floors wherever required : <b>Single half stall urinal with flush clock</b>	2	No		
13	Providing and laying gang saw cut 18 mm thick, mirror polished pre moulded and pre polished machine cut granite stone of required size and shape of approved shade, colour and texture in footpath, flooring in road side plazas and similar locations, laid over 20mm thick base of cement mortar 1:4 (1cement : 4 coarse sand) including grouting the joints with white cement mixed with matching pigment, epoxy touch ups etc. complete as per direction of Engineer-in-Charge.	1	Sq.m		
14	Providing & Fixing stainless steel railing with top and vertical pipe of 50mm dia at 0.90 m c/c or as required and horizontal pipes of 25mm dia in two rows, all pipes of 2 mm thick including buffing, fabricating fixtures and fastening including pipe base of appropriate diameter and ball base of 75 mm dia above one major post etc. complete grade 304	5.4	Sq.m		

Sr.no	Description	Qty	Unit	Rate	Amount
15	Providing and fixing 2mm thick fibre glass reinforced plastic transparent sheet matching with coloured asbestos profile / G.I. profile roofing including galvanised "J" and 'T' hooks, bolts galvanised iron and bituminous washer, galvanised iron clamps and bolts nuts and scaffolding complete.b) Coloured Sheet	10.8	Sq.m		
16	Providing structural steel work of rectangular hollow steel section for shade, other similar trussed items like purlin and members with all bracing, gusset plates etc. including cutting, fabricating, hoisting, erecting, fixing in position making riveted/bolted/ welded connections and one coat of anticorrosive paint and over it two coats of oil painting of approved quality and shade complete. including excavation and concreting	0.15	MT		
17	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level 1:3:6 (1 Cement : 3 coarse sand (zone-III) : 6 graded stone aggregate 20 mm nominal size).	1.00	Cu.m		
				<b>Total Amount</b>	
				<b>Add % GST</b>	
				<b>Grand Total</b>	

1 All rates are to be quoted excluding the GST applicable. The GST will be paid in addition to the total amount payable.

2 The above quantity may vary as per actual requirement of Site.